


Alloy Change Notice! In most cases our new HARD alloy will be 6005-T5. During inventory rollover, 6061-T6 may be substituted.

Pipe - 21ft. Lengths



Part #	Nom. Size	Sch.	A	T	Lbs./Ft.	ALLOY & TEMPER	I.D.
100105	.75	40	1.05	.113	.393	6005-T5	0.83
100469	1	40	1.315	.133	.593	6061-T4	1.049
100470	1	40	1.315	.133	.593	6063-T6	1.049
100500	1	80	1.315	.179	.767	6063-T6	.957
100023	1.25	40	1.66	.14	.803	6005-T5	1.38
100501	1.25	40	1.66	.14	.803	6063-T4	1.38
100024	1.5	40	1.9	.145	.959	6005-T5	1.61
100025	2	40	2.375	.154	1.29	6005-T5	2.067
100532	2	40	2.375	.154	1.29	6063-T4	2.067
100831	3	40	3.5	.216	2.621	6005-T5	3.068
100980	4	40	4.5	.237	3.733	6063-T6	4.026